

WASHBASINS, SURFACE-MOUNTED WASHBASIN, SURFACE-MOUNTED
WASHBASINS MEMENTO

PRODUCT INFORMATION

1 . POSITION



Model	5135U0
Width	23 5/8" inch
Depth	16 1/2" inch
Weight	38,58 lbs
Description	<p>Ground contact surface, back of washbasin glazed Sanitary porcelain for installation on countertop fastening set included, incl. cut-out template EN 31, EN 14688 This vessel sink is made of finefire clay. The vessel sink is 23 5/8" (600mm) x 16 1/2" (420mm). The product is with overflow. The product is with ceramic plus. The vessel sink is Villeroy & Boch model 5135U0. Code Compliance: UPC, IPC, NSPC, NPC Canada and others, meets and exceeds ASME A112.19.2/CSA B45.1 ASME A112.19.14 centered drain one year limited warranty waste diameter: 1 1/4" O.D. basin dimensions: 22" x 11" (560 x 280mm) ground contact surface for countertop installations</p>
Tap fitting / Tap hole remark	Adaptable for 8" spread faucets, single faucet hole only punched out
Overflow remark	with overflow
Material	Sanitary porcelain
Specification texts	<p>; Surface-mounted bathroom sink 24" (Back of sink glazed); Sanitary porcelain; Size: 23 5/8" x 16 1/2" (600 x 420 mm); Rectangle; Ground contact surface, back of washbasin glazed; Adaptable for 8" spread faucets, single faucet hole only punched out; with overflow; for installation on countertop; fastening set included, incl. cut-out template; EN 31, EN 14688; This vessel sink is made of finefire clay. The vessel sink is 23 5/8" (600mm) x 16 1/2" (420mm). The product is with overflow. The product is with ceramic plus. The vessel sink is Villeroy & Boch model 5135U0.; Code Compliance: UPC, IPC, NSPC, NPC Canada and others, meets and exceeds ASME A112.19.2/CSA B45.1 ASME A112.19.14; centered drain; one year limited warranty; waste diameter: 1 1/4" O.D.; basin dimensions: 22" x 11" (560 x 280mm); ground contact surface for countertop installations</p>

COLOURS

White Alpin New Glory CeramicPlus	5135U0U7	
White Alpin	5135U001	4051202203153
White Alpin CeramicPlus	5135U0R1	4051202164898

TECHNICAL DRAWINGS

5135U0

